

Programmatic Needs Assessment

Fire Dep. Building Study

Town of Wolfeboro, NH

LAVALLEE | BRENSINGER ARCHITECTS

LBA Project no. 17-083-00

Updated Fire Dep. Program

08/01/2020

Executive Summary

LAVALLEE | BRENSINGER ARCHITECTS

Space Designation		Space Need				Notes
No.	Function	Reference	2020 (current need)	2025	2035	
COMMON SPACES						
C-1	Common Spaces	2,594	2,054	2,054	2,054	
	COMMON TOTAL	2,594	2,054	2,054	2,054	
FIRE DEPARTMENT						
F-1	Fire Administration	1,550	1,356	1,356	1,356	
F-2	Fire Station	12,883	13,132	13,211	13,340	
F-3	FD Departmental Support	1,488	1,206	1,206	1,206	
	FIRE TOTAL	15,922	15,694	15,773	15,902	
BUILDING SUPPORT						
S-1	Facility Support	1,982	1,699	1,699	1,699	
	BUILDING SUPPORT TOTAL	1,982	1,699	1,699	1,699	
	TOTAL ALL PROGRAMS	20,498	19,447	19,526	19,656	

Programmatic Needs Assessment

Fire Dep. Building Study
Town of Wolfeboro, NH

LAVALLEE | BRENSINGER ARCHITECTS

LBA Project no. 17-083-00

Updated Fire Dep. Program
08/01/2020

Executive Summary cont'd - Parking

Parking Requirements				
	STAFF	VISITOR	FD VEHICLES	TOTAL
Fire Department	8	0	5	13
Public - EOC	0	10	0	10
TOTAL PARKING NEED	8	10	5	23

Notes

Does not include parking spaces for off-duty & part time personnel for fire calls.

Includes 2 ADA spaces

Please Note:

At the request of LBA, Underwood Engineers contacted NHDOT District 3 and spoke with the assistant district engineer regarding a wider curb cut at the existing PSB that would allow emergency vehicles to pull out directly from the equipment bays unto the street.

- Underwood informed NHDOT the driveway curb cut may be approximately 80' wide depending on the number of bays – plan currently indicates 5 bays at 18 feet wide each for a total of 90 feet.
- NHDOT stated that up to 50' is pretty standard, anything more would need review/approval by the District Engineer
- NHDOT stated that there may be potential to allow an 80' wide curb cut (would need to be confirmed)
- If the Town wishes to pursue this approach the assistant district engineer encouraged submitting a plan for review and comment. If the Wolfeboro Fire Department feels strongly the LBA team could submit a concept sketch and obtain more detailed comments from NHDOT.

Programmatic Needs Assessment

Fire Dep. Building Study
Town of Wolfeboro, NH

LAVALLEE | BRENSINGER ARCHITECTS

LBA Project no. 17-083-00

Updated Fire Dep. Program
08/01/2020

C-1 Common Spaces

LAVALLEE | BRENSINGER ARCHITECTS

Space Designation		Space Need			Notes
No.	Function	2020 (current need)	2025	2035	
C-1	Common Spaces				
C-1.1	Entry Vestibule	80	80	80	
C-1.2	Public Lobby	225	225	225	seating for 4 people
C-1.3	Public Restrooms @ 64 sf each	128	128	128	one with direct access to EOC
C-1.4	Administrative Assistant/Receptionist	64	64	64	Position tied to lobby / entry - carried over from combined facility. We recommend it be removed. Please advise.
C-1.6	EOC/Training/Commissioners Briefing Room	875	875	875	35 occupants. Tech for Common Operating Picture (COP) during emergencies. Could be reduced to 25-30 if necc. Includes Law Library.
C-1.7	EOC Storage	100	100	100	Chairs/tables storage
C-1.8	EOC Kitchenette	40	40	40	
C-1.9	Exercise Equipment Alcove	200	200	200	
	SUBTOTAL	1,712	1,712	1,712	
	Efficiency Factor 20%	342	342	342	
	TOTAL C-1	2,054	2,054	2,054	

Programmatic Needs Assessment

Fire Dep. Building Study

Town of Wolfeboro, NH

LAVALLEE | BRENSINGER ARCHITECTS

LBA Project no. 17-083-00

Updated Fire Dep. Program

08/01/2020

F-1 Fire Administration

LAVALLEE | BRENSINGER ARCHITECTS

Space Designation		Space Need			Notes
No.	Function	2020 (current need)	2025	2035	
F-1	Fire Administration				
F-1.1	Administrative Assistant to the Chief	90	90	90	
F-1.2	Fire Chief's Office	180	180	180	
F-1.3	Deputy Fire Chief's Office	120	120	120	
F-1.4	Small Meeting Room	120	120	120	include reference library
F-1.5	Fire Prevention/Plans Review/Investigator	100	100	100	
F-1.6	Lieutenant/EMT offices @ 100 sf each	100	100	100	
F-1.8	Files Storage Room	150	150	150	12x12 existing; similar area at substation, would need to be bigger if substation comes offline. Offsite possible
F-1.9	Lieutenant's Bunk Rooms - open space + restroom/shower	90	90	90	for one bunk room; shared by 3-4 lts.
F-1.10	Storage Closets @ 20 sf each	80	80	80	
F-1.11	Backup Dispatch	100	100	100	
C-1.4	Administrative Assistant/Receptionist	-	-	-	See Common C-1
C-1.6	Command Staff Conference Room	-	-	-	See Common C-1 - EOC will serve as the Command Conf. room
	SUBTOTAL	1,130	1,130	1,130	
	Efficiency Factor 20%	226	226	226	
	TOTAL F-1	1,356	1,356	1,356	

Programmatic Needs Assessment

Fire Dep. Building Study

Town of Wolfeboro, NH

LAVALLEE BRENSINGER ARCHITECTS

LBA Project no. 17-083-00

Updated Fire Dep. Program

08/01/2020

Space ID Name

F-2 Fire Station

Program Area

LAVALLEE BRENSINGER ARCHITECTS

Space Designation			Space Need		
No.	Function		2020 (current need)	2025	2035
F-2	Fire Station				
F-2.1	Individual Bunk Rooms @ 90 sf each	4	360	360	360
F-2.2	Toilet/Shower Rooms @ 120 sf each	2	240	240	240
F-2.3	Quartermaster Supply Storage		300	300	300
F-2.4	Call Firefighter Lockers	9,15	99	165	165
F-2.5	Day Room		260	260	260
F-2.6	Firefighter/EMT Shared Duty Office @36 sf each	3,6	108	108	216
F-2.7	Kitchen		140	140	140
F-2.8	Pantry Storage Room		60	60	60
F-2.9	Dining Area		160	160	160
F-2.10	Apparatus Bays @ 18'x80' (double-length)	6	8,640	8,640	8,640
F-2.11	Bunker Gear Storage @ 24 sf each	24	576	576	576
C-1.10	Exercise Equipment Alcove		-	-	-
	SUBTOTAL		10,943	11,009	11,117
	Efficiency Factor 20%		2,189	2,202	2,223
	TOTAL F-2		13,132	13,211	13,340

Notes

Includes ambulance equipment storage

includes backup radio & communications system
growth accounts for potential future ambulance services
commercial equipment

up to 6 people
Existing bays: 70'x15' (1,050 sf)

see Common C-1

Programmatic Needs Assessment

Fire Dep. Building Study

Town of Wolfeboro, NH

LAVALLEE | BRENSINGER ARCHITECTS

LBA Project no. 17-083-00

Updated Fire Dep. Program

08/01/2020

F-3 FD Departmental Support

LAVALLEE | BRENSINGER ARCHITECTS

Space Designation		Space Need			Notes
No.	Function	2020 (current need)	2025	2035	
F-3	FD Departmental Support				
F-3.1	Extractor/Drying Room	140	140	140	
F-3.2	Air Compressor Room	80	80	80	currently in open area; enclosed OK. Include spare cylinders storage
F-3.3	Tool Storage/Equipment Work Room	200	200	200	existing =21x16. Includes FD equipment maintenance
F-3.4	Air Cascade Equipment Room	140	140	140	
F-3.5	Decontamination	120	120	120	
F-3.6	Hose Drying/Training Tower	225	225	225	15x15 footprint, +/-40' high
F-3.7	Laundry	100	100	100	
	SUBTOTAL	1,005	1,005	1,005	
	Efficiency Factor 20%	201	201	201	
	TOTAL F-3	1,206	1,206	1,206	

Programmatic Needs Assessment

Fire Dep. Building Study

Town of Wolfeboro, NH

LAVALLEE BRENSINGER ARCHITECTS

LBA Project no. 17-083-00

Updated Fire Dep. Program

08/01/2020

Space ID Name

S-1 Facility Support

Program Area

LAVALLEE BRENSINGER ARCHITECTS

Space Designation			Space Need			Notes
No.	Function		2020 (current need)	2025	2035	
S-1	Facility Support					
1-1.1	Trash/Recycling Storage		80	80	80	
1-1.2	Custodial Closet	1	60	60	60	
1-1.3	Mechanical Room	1	240	240	240	
1-1.4	Electrical Rooms @ 100 sf each	1	100	100	100	
1-1.5	Stair Towers @ 200 sf each	2	400	400	400	
1-1.6	Telephone		80	80	80	
1-1.7	IT Server Room		150	150	150	
1-1.8	IT Storage		50	50	50	
1-1.9	Telephone/Fiber Room		80	80	80	
1-1.10	IT/IDF Closets @ 32 sf each	1	32	32	32	
1-1.11	Elevator Machine Room		80	80	80	
1-1.12	Elevator		64	64	64	
	SUBTOTAL		1,416	1,416	1,416	
	Efficiency Factor 20%		283	283	283	
	TOTAL S-1		1,699	1,699	1,699	